

Office address: Mailing address: 103 Ashley Street P. O. Box 220 Bulyea SK SOG OLO Bulyea SK SOG OLO

Development Officer Telephone: 306-725-3258 Email: rm220devofficer@rm220.ca

PERMIT RMMK-22-___ **APPLICATION FOR DEVELOPMENT PERMIT**

1)	Applicant (Must	be registered owne	er):		
	Registered Owne	er			
	Mailing Address				
	Contact Number		Email		
2)	Property (Civic o	or Legal or Land Loca	tion):		
	Civic or Jobsite A	ddress			
	Lot	Blk	Plan		
	Part	Section	Township	Range	W2
	Certificate of Tit	le No	Date		
3)	Lot Size:				
	Dimensions		Area	I	
4)	Existing Land Us	e:			

5) Proposed Land Use/Description of Proposed Development:



Office address: 103 Ashley Street P. O. Box 220

Mailing address:

Development Officer Telephone: 306-725-3258 Bulyea SK S0G 0L0 Bulyea SK S0G 0L0 Email: rm220devofficer@rm220.ca

6) DOCUMENTS TO INCLUDE FOR ALL DEVELOPMENT APPLICATIONS

- a) Site Plan showing the following:
 - i) Site dimensions & shape, side yard, front yard & rear yard setbacks.
 - ii) Location, size and use of all existing and proposed buildings or structures & easements dimensioned to the site lines.
 - iii) Distance between Principal and Accessory Building.
- b) Site topography and special site conditions (which may require a contour map) including ponds, streams, other drainage runs, culverts, ditches, and any other drainage features.
- c) The location and size of trees and other vegetation, especially natural vegetation, street trees, and mature growth.
- d) Proposed on-site and off-site services.
- e) A Geo-Tech Report provided by an Engineer.

7) TIMELINE

- a) Start Date: _____
- b) Estimated Completion Date: _____

8) Other Information

9) Mobile Homes: C.S.A. Z240 Approval Number ______ 10) Modular/RTM: C.S.A. Z277 Approval Number 11) Park Model Home: C.S.A. Z241 Approval Number ______ 12) Modular date of Manufacture



Telephone: 306-725-3258 Bulyea SK S0G 0L0 Bulyea SK S0G 0L0 Email: rm220devofficer@rm220.ca

13) DECLARATION OF APPLICANT

I, ______ of the ______ of _____ In the Province of ______, do Solemnly declare that the above statements contained within the Application are true, and I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath, and by virtue of "The Canada Evidence Act".

I agree to indemnify and hold harmless the Rural Municipality of McKillop from and against any claims, demands, liabilities, costs, and damages related to the development undertaken pursuant to this application.

Date

Property Owner



Bulyea SK SOG OLO Bulyea SK SOG OLO

Mailing address:

Development Officer Telephone: 306-725-3258 Email: rm220devofficer@rm220.ca

FOR MUNICIPAL OFFICE USE ONLY:

RMMK-22-___

1.	Present Zoning:				
2.	Proposed Use(s):	Principal			
		Accessory			
3.	Proposed Setbacks:	Front	Rear	Side 1	Side 2
4.	Size of Building	Length	Width	Height	
5.	Application Status:	Meets Bylaw Re	equirement		
		Does Not Meet B	Bylaw Requireme	nts	

Other Regulations/Comments/Conditions:

Date

Development Officer



Office address: 103 Ashley Street Bulyea SK SOG 0L0

Mailing address: P. O. Box 220 Bulyea SK SOG 0L0 Development Officer Telephone: 306-725-3258 Email: rm220devofficer@rm220.ca

FORM A - APPLICATION FOR BUILDING PERMIT

I hereby make application for a permit to:

Construct				
Alter				
Reconstruct				

Permit #_____

a building according to the information below and to the plans and documents attached to this application. Applicant (must be completed by the registered owner):

Registered Owner					
Mailing Address					
Contact Number		En	nail		
Property (Civic or L	egal or Land Locatior	ı):			
Civic Address					
Legal Description:	Lot	Blk	Plan		
Land Description: P	art <u>Section</u>		Township	Range	W2
Certificate of Title	lo	Date _			
Nature of work:					
			th He		
Number of sto	reys:		Fire Escapes:		
	vays:		Width of stairways:		
Number of	exits:		Width of exits:		
Foundation Soil Cla	ssification Type:				
Footings:		Material:		Size:	
Foundation:		Material:		Size:	
Exterior Walls:					
Roof:		Material:		Size:	
		Material:		Spacing:	
Girders:		Material:		Spacing:	
Rafters:		Material:		Spacing:	
		Number:		Size:	
		Material:		Thickness:	
Heating:		Lighting:		Plumbing:	
В	unding Area (of large	st storey:			

I hereby agree that it is my responsibility to ensure compliance with the Act, Regulations, NBC, NECB and the Building Bylaw and that I must call for inspections as required by the Plan Review issued by Professional Building Inspections. I agree to allow the building official onto my property at any reasonable hour to conduct inspections.



Residential – Permit Information Form

Municipal Office Use Only

Municipality:		PBI Permit #:	Rммк-22-
Development Approved: No Yes (Proposed construction meets	all zoning bylaw	/s and/or is approv	ed in principle.)
Geotech Report Required: No Yes (If required by zoning bylaws of	or engineer recor	mmendation.)	
Permit Application Date: Permit Expire	y Date:		
Date Sent to PBI: Administrator	Name:		
Method Sent (mail, fax, e-mail):Sig	nature:		
Information Below Can Be Completed B	y The App	licant	
Contact Information:			
Registered Owner:	Home: (3	306)	
Mailing Address:	Bus: (3	-	
E-mail:	Cell: (3	306)	
Contractor:	Bus: (3	306)	
Contact Person:	Fax: (3	306)	
E-mail:	Cell: (3	306)	
Same as Registered Owner			
Applicant's Name:	Ph: (3	306)	
Same as Registered Owner Same as Contractor	D r		
Jobsite Location:			
Civic Address:			
Legal Land Description: Lots(s) Block	Plan No	-	
¼, Section Townsh	ip	Range	W_2
Subdivision:			
Landmark or Reference:	ng Tofficial in find	lin ath eiobsite)	
Project Details:			
Single Family Dwelling (Select one permit type that best describes the	dwelling):		
New Home Duplex Unit Cottage RTM Post-M		oile (Manufactu	red) Home
Select on line below ALL that pertain to this permit and are included with	the <u>p</u> lans subi	mitted to PBI fo	r review:
Basement Development Deck Attached Garage (Insulated	d) 🗌 Attach	ned Garage (No	t Insulated)
Residential Building Project (Separate permit is required for each proj	ect type):		
Addition Renovation Deck Basement Development	Second	lary Suite	
Sunroom New Foundation Retaining Wall Roof Ext	_	_	
Attached Garage Detached Garage Accessory Building		ilding Boa	at House
Insulated: Yes No Comments:			
Dimensions: Length: ft. x Width: ft. x Height:	ft.	Size:	ft²
Finished Areas: Main: ft ² 2 nd Storey:	ft²	Bsmt:	ft²

Start Date:

Estimated Completion Date:



Residential - Plan Review Checklist

Municipality:	Permit #:
Jobsite Address:	Project Type:
Owner's Name:	Cell Ph:

				Re	side	enti	al P	roje	ct T	уре	<u> </u>		
REQUIRED for a Plan Review(A shaded box means not required.)Provide designs and required documents in PDF formatas indicated by the unshaded boxes for the project. A plan reviewmust be completed by PBI before a building permit is issued.E-mail plans and documents in PDF formatto the municipal office.Requirements may vary for some projects. Please consult with PBI.	New Dwelling / Housing Unit	RTM / Modular / Post-Move	Mobile (Manufactured) Home	Addition / Living Space / Sec. Suite	Renovation (structural or egress)	Basement Development	Deck (not covered or enclosed)	* Attached Garage (unheated)	* Det Garage / Acc. Bldg. (unheated)	* Pole Building (unheated)	Retaining Wall (if collapse affects a structure)	Foundation Replacement	Solar Panels (PV or Hot Water)
Site Plan (eg. lot size & shape; indicate North; project size on lot, distance to all property lines, indicate what borders each property line, label streets, etc.)													
Building Plans (eg. floor plans, exterior elevations, cross sections, structural details, window & door types, sizes & locations, stair configurations, material lists, specs, etc.)													
Energy Code Forms (applicable to compliance option, code edition & climate zone)													
Building Designs stamped by an engineer (project specific for intended use*)													
Foundation Designs stamped by a structural engineer (site specific)													
Geotechnical Report (if required by zoning bylaws or engineer recommendation)													
Manufacturer's Blocking Chart and anchorage details													
PBI Specifications sheet (plus all information requested in the sheet(s)													
Information Below is Required BEFORE TH	E FR		NG	INS	PEC	TIOI	N						
Engineer-stamped roof truss designs & layouts (NBC compliant)													
Engineer-stamped floor truss and/or LVL designs & layouts													
Fireplace or Wood Stove Manufacturer Specifications													
Residential Mechanical Ventilation Design Summary													

* Pole Building (Please detail intended use. Note if vehicles will be repaired in the building, if building is for personal or business use, if heated, etc.)

E-MAIL CONSENT FORM

Consent to the e-mail delivery of PBI reports and related documents pertaining to this building permit is given to the following individuals involved in the construction project (note that owners should always include themselves on this form):

Title (Eg. Owner, Contractor)	Individual's Name	E-mail Address
Owner		

• Please note that failure to receive an e-mailed report or related document does not release the property owner(s) from their responsibility to comply in all regards with the building standards (Saskatchewan Uniform Building and Accessibility Standards Act, municipal building bylaws, and National Building Code of Canada).

• I declare that I am the owner of this property and I will notify PBI of any e-mail changes, if applicable.

Name:

Signature:

Date:



Basement Development - PBI Specifications

(1) Provide a floor plan SKETCH on a separate sheet and note the following:

Draw the **perimeter walls** of the basement and note the **total area to be developed** (ft² or m²).

□ Draw the room layout (existing and proposed rooms) and show the location of the stairs (note width.)
 □ Note the dimensions of all rooms (indicate ft or m).

Label the **intended use of each room** (e.g. Rec Room, Bathroom, Bedroom, Utility, Office, Storage, etc.) Show all **walls**, **partitions**, **closets**, **doorways and windows**.

Draw the **door swing direction** on all doorways and note the **door width**.


□ Note the **window sizes** for each basement window and note the **window opening type** in each bedroom.

☐ If applicable, show the proposed fireplace location and type (i.e. natural gas, wood burning, electric, etc.)
 ☐ Using symbols, note the locations of smoke alarms (☉) and CO alarms (⊕) (combine symbols for combination units.)

- ☐ For **bathrooms**, show the locations of **fixtures** (sink, toilet, tub) and **exhaust fan.**
- For kitchenettes, note the location of cabinets, counters, sinks, and appliances, including cooktops.
- For **secondary suites**, please submit architectural drawings prepared by an experienced designer, as NBC

requirements are significantly different for secondary suites than basement developments.

Sample Floor Plan



Answer all questions on page 2 and submit with your floor plan.
 Please contact PBI at (306) 536-1799 if you have any questions.

		Professional Building Inspections, Inc.
Owner Name:		Municipality:
Owner: (Cell) <u>(306)</u>	(H) <u>(</u> 306)	Jobsite Address:
		Foundation Wall ier & Interior Dampproofing
		Vapour barrier extending full height
	Interior dampproofing up to grade level only	
	Grade level	Insulation in voids
	Mechanically fastened	Note: To ensure good protection, the number of seams are to be minimized. Any seams should be overlapped at least 100 mm (4") at solid framing and be sealed with a compatible material.
		Interior dampproofing against wall and under bottom plate

(2) Complete the information below regarding the proposed development:

Total Area Being Developed (indicate ft² or m²):

Foundation Perimeter Walls Are Currently:	Stairs Protected By:
□ Vapour Barrier □ Sheathed □ Protection from Dampness:	Proposed Ceiling Type:
PT Bottom Plate Poly / Sill Gasket	Proposed Ceiling Height: (NBC minimum noted)
Bedroom/Sleeping Room Window Types:	□ 2.1m (6'-11") □
☐ Slider □	Fireplace:
Bedroom Window Sizes: (Note below as W" x H") 1 2 3	☐ Wood Burning (stove or insert) ☐ (Submit manufacturer's installation specifications with application)
Bedroom Window Unobstructed Opening: 123 (Openable partian must not be loss than 0.25m ² (2.8 ft2) in area with no	Smoke Alarm Installed In:
1 2 3 (Openable portion must not be less than $0.35m^2$ (3.8 ft²) in area, with no dimension less than 380mm (15"), and must have 760mm (30") minimum clearance space in the window well when window is in the open position.) Door Sizes (W" x H") and Quantity (note below) $24" \times 78"$ $30" \times 78"$ $32" \times 78"$	Bedroom(s) Hallway Common Area Carbon Monoxide (CO) Alarms Installed:
1 2 3 (Openable portion must not be less than 0.35m ² (3.8 ft ²) in area, with no dimension less than 380mm (15"), and must have 760mm (30") minimum clearance space in the window well when window is in the open position.) Door Sizes (W" x H") and Quantity (note below)	 Bedroom(s) Hallway Common Area Carbon Monoxide (CO) Alarms Installed: In Bedroom(s) Within 16' of each bedroom door Proposed Bathroom:



ENERGY EFFICIENCY COMPLIANCE FORM

Section 9.36. of the National Building Code of Canada (NBC)

Submit the design option section(s) for a new building, addition or major alteration to comply to NBC 9.36.

All calculations must be completed by a <u>competent person</u>* and be attached to this form to be considered complete and accepted for review.

* <u>Competent Person</u> means a person, firm or corporation who is knowledgeable and experienced in the application of NBC Section 9.36. for the design of buildings and/or building systems.

Owner Name:		Permit Number (Office Use):
Project Address:		
Occupancy Type:	Floor Area (m²)	Climate Zone 7A

Design Option: Prescriptive Complete Section 'A'	Trade-Off Complete Sections 'A & B'		Performance Complete Section 'C'	
Section A (Part 1): Prescriptive HRV: Yes No	Additional information that must Window & door schedule RSI assembly calculations		: be submitted for review : ☐ Air tightness drawings ☐ CSA F280 calculations	
Effective Thermal Resistance of Ab	ove Ground Opaq	ue Building Assem	blies (RSI)	
Assembly	w/ HRV	w/o HRV	Proposed	
Ceilings below attics	8.67	10.43		
Cathedral / Flat roofs	5.02	5.02		
Wall joists	2.97	3.08		
Rim joists	2.97	3.08		
Floors over unheated spaces	5.	02		
Floors within garage	4.	86		
Thermal Characteristics of Fenestra	ation, Doors and S	skylights (U)		
Assembly		iency	Proposed	
Windows & Doors	Maximum U-Value			
(provide window & door schedule) One door exception	Minimum Energy F Maximum U-Value			
Attic hatch	Minimum RSI _{eff}	2.60		
Skylights	Maximum U-Value			
Effective Thermal Resistance of Be			d Onaque	
Building Assemblies (RSI)		one 7A is 2.4 m (8 ft.)]		
Assembly	w/ HRV	w/o HRV	Proposed	
Foundation Walls	2.98	3.46		
Slab-On-Grade with Integral Footing	2.84	3.72		
Unheated Floor Below Frost Line	uninsulated	uninsulated		
Unheated Floor Above Frost Line	1.96	1.96		
Heated Floors	2.84	2.84		
Contact information for person who completed Section A (Part 1 of 2):				

Contact information for person who completed Section A (Part 1 of 2):					
Firm Name: Ph: Date:					
Person Name:	Er	mail:			



Section A (Part 2): Prescriptive

Equipment	Capacity K	N Standard	Min. Efficiency	Proposed		
Gas Fired Furnace	<u><</u> 65.9	CSA P.2	AFUE <u>></u> 92%			
(w or w/o A/C)	> 65.9 & <u><</u> 117	.23 CAN/CSA-P.8	B Et ≥78.5%			
Electric Boiler	<u><</u> 88		(1)			
	<u><</u> 88	CSA P.2	AFUE ≥ 90%			
Gas Fired Boiler	> 88 & <u><</u> 117.2	23 AHRI BTS	Et ≥ 83%			
Other						
Heat Loss Calculations (BTU)	Calculations w	ce with CSA F280 standards				
Heat Gain Calculations (BTU)	Calculations w	ere prepared in conforman	ce with CSA F280 standards			
Nomenclature	AFUE= annual fuel	utilization efficiency, E_t = th	ermal efficiency			
Water Heater Perfo	ormance Require	ments				
Equipment	Capacity KW	Standard	Min. Efficiency	Proposed		
	<u><</u> 12 kW		SL <u><</u> 35 + 0.20V (top inlet)			
	(50 L to 270 L capacity)		$SL \leq 40 + 0.20V$ (bottom inlet)			
Tank Storage	<u><</u> 12 kW	CAN/CSA-C191	SL ≤ (0.472V) - 38.5 (top inlet)			
(Electric)	(>270 L and < 454 L capacity)		SL <u><</u> (0.472V) - 33.5 (bottom inlet)			
	>12 kW (>75 L capacity)	ANSI Z21.10.3/CSA 4.3 & DOE 10 CFR, Part 431, Subpart G	S = 0.30 + 27 / V _m			
Tank Storage	< 22 kW	CAN/CSA-P.3	EF ≥ 0.67 — 0.0005V			
(Gas Fired)	<u>></u> 22 kW	ANSI Z21.10.3/CSA 4.3	E _t ≥ 80% and standby loss <u><</u> rated Input/(800 + 16.57)(√V)			
-	<u><</u> 73.2 kW	CAN/CSA-P.7	EF <u>></u> 0.8			
Tankless (Gas Fired)	> 73.2 kW	ANSI Z21.10.3/CSA 4.3 and DOE 10CFR, Part 43I, Subpart G	E ≥ 80%			
Tankless (Electric)	No standard addresses the performance efficiency; however, their efficiency typically approaches 100%					
Other						
Nomenclature	$ \begin{array}{lll} \textbf{EF} = energy \mbox{ factor in \%/h,} & \textbf{E}_t = thermal \mbox{ efficiency} \\ \textbf{S} = standby \mbox{ loss in \%h,} & \textbf{SL} = standby \mbox{ loss in W,} \\ \textbf{V} = volume & \textbf{V}_m = measured \mbox{ storage volume in US gallons} \end{array} $					

(1) Must be equipped with automatic water temperature control. No standard addresses the performance efficiency; however, their efficiency typically approaches 100%.

Contact information for person who completed Section A (Part 2 of 2):					
Firm Name: Ph: Date:					
Person Name:		Email:			



Section B: Trade Off

All calculations must be completed by a <u>competent person</u> and attached to this form in order to be considered complete and accepted for review. The location and extent of assemblies used in the calculation shall be clearly identified on the drawings by hatch or note.

Additional information that must be submitted for review:

□ Section A (Parts 1 & 2) completed in their entirety.

□ RSI assembly calculations indicating trade-off calculations.

- □ **Opaque to Opaque** One or more above-ground opaque building envelope assemblies are permitted to be less than required, provided one or more above-ground opaque building envelope assemblies are increased to more than required.
 - Walls and joist type roofs must maintain minimum 55% of the required RSI_{eff}
 - All other assemblies must maintain minimum 60% of the required RSI_{eff}
 - The sum of the areas of all traded assemblies divided by their RSI_{eff} must be less than or equal to what it would have been if all assemblies had met NBC 9.36.2.6.
- □ **Transparent to Transparent** One or more windows are permitted to be less than required, provided one or more windows are increased to be more than required.
 - The traded windows must have the same orientation.
 - The sum of the areas of all traded windows divided by their RSI_{eff} must be less than or equal to what it would have been if all windows had met NBC 9.36.2.7.
- Opaque to Transparent This option is meant to allow reduced insulation for factory-constructed buildings with a low floor to ceiling height and a fenestration and door area to gross wall area ratio of 15% or less.

Contact information for person who completed Section B:					
Firm Name:	Name: Ph: Date:				
Person Name:		Email:			



Section C: Performance (Page 1 of 2)

This option is available only to houses with or without secondary suites, and buildings that contain only dwelling units with common spaces that are less than 20% of the building's total floor area.

Full modelling summary reports for the reference and proposed house, completed by a competent person and generated from Hot 2000 v15 or an ANSI/ASHRAE 140 compliant software, is required to be submitted with this form to be considered complete and accepted for review.

Additional information that must be submitted for review:

□ Window & door schedule.

Building assembly details (i.e. thoroughly complete "**Proposed House - Building Assembly Details**" section below).

□ If less than 3.2 air exchanges are used in the proposed model, provide vapour barrier installation details.

□ Full modelling summary reports for Reference Model and Proposed Model.

Input Parameters		Reference Model	Proposed Model	
Airtightness (air exchanges p	per hour @ 50 Pa)			
Heat Loss / Heat Gain				
HRV efficiency				
Thermal mass (MJ/m ²⁰ C)				
Ventilation rate (l/s)				
Fenestration and door to wal	ll ratio (FDWR) – reference (%)			
Direction of front elevation (h	ighlight or shade one in each column)	N NE E SE S SW W NW	N NE E SE S SW W NW	
Area of windows and doors	Front elevation (m ²)			
	Rear elevation (m ²)			
	Left elevation (m ²)			
	Right elevation (m ²)			
	Total area of windows (m ²)			
	Total area of opaque doors (m ²)			
Energy use (GJ)				

Proposed House - Building Assembly Details:								
		Framin	g		Insulation	Furnace Size:		
Ceiling:	" (0.C.		R	-	Furnace Rating:		
Exterior Wall:	2" x	@	" o.c.	R	-	Water Heater:		
Tall Wall:	2" x	@	" o.c.	R	-	HRV:	□ Yes	□ No
Foundation Wall:	2" x	@	" o.c.	R	-	Air Conditioner:		
Floor Headers:				R	-	Air Barrier (NBC):		
Cantilever/Bonus Rm:	2" x	@	" o.c.	R	-	Attic Hatch:		
Slab:	□ None	□ Int □	Ext / (1.2m)		thick -	Doors (U-Values):		
Cladding Type:						Windows:		
Comments:						(List all U-Values)		



Section C: Performance (Page 2 of 2)

Software Information					
Software Title:		Version:			
Is software Hot 20	000 v15 or ANSI/ASHRAE 140 compliant?	□ Yes	□ No		

Contact information for person who completed Section C:						
Firm Name:		Name:				
Address:		Phone:				
Address:		Email:				
I hereby certify that the calculations submitted were prepared in full accordance with the operation procedures of the software and: Subsection 9.36.5. of NBC 2015, EnerGuide Rating System v15 w/ variance greater than or equal to 5% above the Reference Model (attach supporting documents)						
(attach supporting documents)						
Date		Signature				